

## Canon Original image Class MF217W All in One Laserjet Printer



Real Price: ~~₹22,450.00~~

Current Sale Price: ₹21,677.00

**Product Categories:** [Brother](#)

**Product Page:**

<http://ntconlinestore.com/product/canon-original-image-class-mf217w-one-laserjet-printer/>

### Product Summary

#### **Product Description :**

The MF217w is easy to connect and share. It is a breeze to operate the Print, Copy, Scan and Fax activity from the 6-line monochrome Touch Screen LCD.

- Print resolution: up to 1200 x 1200dpi (equivalent) - Wired LAN, Wi-Fi 802.11 b/g/n with WPS Push Button mode - Enabled for Canon Mobile Printing, Mobile Scanning for Business, AirPrint™, Google Cloud Print™, Mopria™ and Canon Print Service - Recommended Monthly Print Volume: 500 - 2,000 pages

**Brand New Product. Get Best Deals and Offer on Canon Original image Class MF217W All in One Laserjet Printer on [ntconlinestore.com](http://ntconlinestore.com)**

## Product Description

### **Technical Details : Model**

imageCLASS MF217w

#### **Print**

Printing Method: Monochrome Laser Beam Printing

Print Speed A4: Up to 23ppm

Print Resolution: 600 x 600dpi

Print Quality with Image Refinement Technology: 1200 x 1200dpi (equivalent)

Warm up Time (From Power On): 13.5sec. or less

First Printout Time (FPOT): Approx. 6sec.

Recovery Time (From Sleep Mode): Approx. 2sec.

Print Language: UFR II LT

Print Margins:

5mm - top, bottom, left and right (Other sizes than Envelope)

10mm - top, bottom, left and right (Envelope)

Print Features: Poster, Watermark, Page Composer, Toner Saver

#### **Copy**

Copy Speed A4: Up to 23ppm

Copy Resolution: 600 x 600dpi

First Copy Time (FCOT): Approx. 9sec.

Maximum Number of Copies: Up to 99 copies

Reduce / Enlargement: 25 - 400% in 1% increments

Copy Features: Memory Sort, 2 on 1, 4 on 1, ID Card Copy

#### **Scan**

Scan Resolution:

Optical: Up to 600 x 600dpi

Driver Enhanced: Up to 9600 x 9600dpi

Colour Depth: 24-bit

Pull Scan: Yes, USB and Network

Push Scan (Scan To PC) with ToolBox: Yes, USB and Network

Scan Features: TWAIN, WIA (Scan Driver Compatibility)

## **Fax**

Modem Speed: Up to 33.6Kbps

Fax Resolution: Up to 200 x 400dpi

Compression Method: MH, MR, MMR

Memory Capacity (\*1): Up to 256 pages

One-touch Dial: 4 dials

Coded Dial: Up to 100 dials

Group dials / Destinations: Max 103 dials / destinations

Sequential Broadcast: Max 114 destinations

Receive Mode: Fax Only, Manual, Answering, Fax / Tel Auto Switch

Memory Backup: Permanent fax memory back-up

Fax Features:

Fax Forwarding\*, Dual Access, Remote Reception, PC Fax (Transmission only), DPRD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Results Reports, Fax Activity Management records

\*Fax Forwarding function allows manual forwarding of stored fax message to a specified destination in the address book. This function only supports forwarding to another fax machine. For more details, please refer to the manual of this printer

\*1. Based on ITU-T #1 Chart ( standard mode)

## **Paper Handling**

Auto Document Feeder (ADF): 35 sheets (80g/m<sup>2</sup>)

Available Paper Size for ADF:

A4, B5, A5, B6, Letter, Legal

(Min. 105 x 148mm to Max. 356 x 216mm)

Paper Input (Standard):

## 250-sheet Cassette

### 1-sheet Multipurpose Tray

\* Plain Paper (60-80g/m<sup>2</sup>)

Paper Output: 100 sheets (face down, 68g/m<sup>2</sup> A4)

### Paper Sizes:

#### Standard Cassette:

A4, B5, A5, Legal, Letter, Executive, Statement, Officio , B-Officio, M-Officio, Government Letter, Government Legal, Foolscap, 16K, Index Card, Australia Foolscap, Indian Legal

### Envelope:

COM10, Monarch, C5, DL

Custom ( Min. 76.2 x 210mm to Max. 216 x 356mm )

### Multipurpose Tray:

A4, B5, A5, Legal, Letter, Executive, Statement, Officio , B-Officio, M-Officio, Government Letter, Government Legal, Foolscap, 16K, Index Card, Australia Foolscap, Indian Legal

### Envelope:

COM10, Monarch, C5, DL

Custom ( Min. 76.2 x 127mm to Max. 216 x 356mm )

Paper Types: Plain, Heavy, Recycled, Transparency, Label, Envelope

### Paper Weight:

Standard Cassette: 60 to 163g/m<sup>2</sup>

Multipurpose Tray: 60 to 163g/m<sup>2</sup>

## **Connectivity & Software**

### Standard Interfaces:

Wired: USB 2.0 High-Speed, 10/100 Base-T Ethernet (Network)

Wireless: Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup)

### Network Protocol:

Print: LPD, RAW, WSD-Print (IPv4, IPv6)

Scan: WSD-Scan (IPv4, IPv6)

TCP/IP Application Services: Bonjour (mDNS), DHCP, BOOTP, RARP, Auto IP (IPv4), DHCPv6 (IPv6)

Management: SNMPv1 (IPv4,IPv6)

Network Security:

Wired: IP/Mac address filtering

Wireless: WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)

One-Push Wireless Configuration: Wi-Fi Protected Setup (WPS)

**Mobile Print: Canon Mobile Printing, Canon Mobile Scanning, Apple AirPrint, Mopria**

Compatible Operating Systems (\*2):

Windows 8.1, Windows 8, Windows 7, Windows XP, Windows Vista, Windows Server 2012 R2, Windows Server 2012, Windows Server 2008 R2, Windows Server 2008, Windows Server 2003, Mac OS X 10.5.8 & up (\*3), Linux (\*4)

Software Included:

Printer driver, Fax driver, Scanner driver, MF Toolbox, AddressBookTool, Presto! PageManager, SSID Tool, Toner Status

\*2

ScanGear and MF Toolbox are not available for Windows Server 2003 / 2008 / 2012.

\*3

Drivers for Mac OS can be downloaded from the [www.canon-asia.com](http://www.canon-asia.com) website when available.

\*4

Only the print function is supported for Linux. The latest drivers for Linux can be downloaded from the [www.canon-asia.com](http://www.canon-asia.com) website when available.

## **General Spec**

Device Memory: 256MB

LCD Display: 6-line BW Touchscreen LCD (Vari-Angle Operation Panel)

Power Consumption:

Maximum: 1,270W or less

Average; During Operation: Approx. 500W

Average; During Standby: Approx. 5.4W

Average; During Sleep: Approx. 1.6W, Approx 2.0W (wireless)

Noise Levels (\*5):

During Operation:

Sound Pressure Level (Bystander's position): 50dB in printing

Sound Power Level : 6.5B

During Standby:

Sound Pressure Level (Bystander's position): Inaudible (\*6)

Sound Power Level : 43dB or less (standard value)

Operating Environment:

Temperature: 10 to 30°C

Humidity: 20% to 80% RH (no condensation)

Power Requirements: AC 220 to 240V, 50 / 60Hz

Toner Cartridge (\*7): Cartridge 337: 2,400 pages (bundled cartridge: 1,700 pages)

Monthly Duty Cycle (\*8): Up to 8,000 pages

\*5

Tested in accordance to ISO 7779 and declared per ISO 9296.

\*6

"Inaudible" means each Sound pressure level at bystander's position is less than the absolute criterion value about background noise of ISO 7779.

\*7

Toner cartridge yield is in accordance with ISO/IEC 19752.

\*8

Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon multi-function laser devices, and does not refer to actual maximum image output per month.

## **Dimension**

390 x 371 x 360mm (Cassette closed)

390 x 441 x 360mm (Cassette opened)

Product data have been exported from - [NTConlinestore](#)  
Export date: Sat Oct 21 19:18:58 2017 / +0000 GMT